


**SPECIALISED IN TRANSPORTATION OF BULK CARGO** Date \_\_\_\_\_  
Office No. 112, Riddi Siddhi Arcade, Plot No. 13, Sec. 8, Bh. B. M. Petrol Pump, From \_\_\_\_\_  
GANDHIDHAM (Kutch) 370 201. India • E-mail : ewr\_gim@yahoo.co.in  
Phone : 236450, 225282 • Telefax : 02836 - 224980

Booking Clerk

**TAX INVOICE**  
**"Issued Under Rule 46 of the Central Goods and Services Tax Rules, 2017"**  
**BOROSIL RENEWABLES LIMITED**

GSTIN : 24AAACB5484G1ZT CIN : L26100MH1962PLC012538 PAN No : AAACB5484G  
 Address: ANKLESHWAR RAJPIPLA ROAD, VILLAGE- GOVALI, TALUKA- JHAGADIA,  
 DISTRICT - BHARUCH- 393001, GUJARAT. Tel No +91 2645 258100  
 Email: brl@borosil.com Website: borosilrenewables.com

ORIGINAL FOR  
RECIPIENT



Payable on Reverse Charge: No  
 Billed to **SDNTG0032**  
**GAUTAM SOLAR PRIVATE LIMITED**  
 7KM Milestone, Tosham Road,  
 Dist.Bhiwani,  
 Bawani Khera  
 BHIWANI 127032  
 Tel.9289350480 Mob.  
 State:Haryana  
 State Code:06  
 GSTIN/UID:06AAFCG5884Q1ZS

Shipped to **SDNTG0032**  
**GAUTAM SOLAR PRIVATE LIMITED**  
 7KM Milestone, Tosham Road,  
 Dist.Bhiwani,  
 Bawani Khera  
 BHIWANI 127032  
 Tel.9289350480 Mob.  
 State:Haryana  
 State Code:06  
 GSTIN/UID:06AAFCG5884Q1ZS

|                        |                               |
|------------------------|-------------------------------|
| Invoice No             | 9000015763                    |
| Invoice Date           | 23/05/2025                    |
| Sales Order No.        | 26002765                      |
| Delivery No.           | 88016457                      |
| Shipment No.           | 19733                         |
| Customer Order Ref No. | GSPL-25-26-144                |
| Mode of Transport      | Truck                         |
| Transporter Name       | EAST WEST ROADLINES           |
| Vehicle No             | RJ32GB 8167                   |
| LR No.                 | 594533                        |
| LR Date                | 23/05/2025                    |
| Place of Supply        | BHIWANI(06)                   |
| Delivery Terms         | FOR                           |
| Payment Terms          | 45 days from date of dispatch |

| Payment Terms |                   |                                         |       |               |              |                    |             |                 |                        | 45 days from date of dispatch |       |                     |        | Taxes        |        |              |        |              |  |
|---------------|-------------------|-----------------------------------------|-------|---------------|--------------|--------------------|-------------|-----------------|------------------------|-------------------------------|-------|---------------------|--------|--------------|--------|--------------|--------|--------------|--|
| S.No          | Material Code     | Description of Material                 | Brand | HSN/SA C Code | No of Crates | No of Piece/ Crate | Total Sqmts | Total No of Pcs | Rate (Price Per Piece) | Total Value (Rs.)             | Disc. | Taxable Value (Rs.) | CGST   |              | SGST   |              | IGST   |              |  |
|               |                   | SOLAR GLASS TEMPERED                    |       |               |              |                    |             |                 |                        |                               |       |                     | Rate % | Amount (Rs.) | Rate % | Amount (Rs.) | Rate % | Amount (Rs.) |  |
| 1             | T02002272011280FO | 2.0 T X 2272 W X 1128 L<br>3 HOLE 12 MM |       | 700719        | 20           | 150                | 7,688.400   | 3000            | 742.83                 | 2,228,489.80                  |       | 2,228,489.80        | 0.00   | 0.00         | 0.00   | 0.00         | 18.00  | 401,128.20   |  |
|               | Sub Total         |                                         |       |               | 20           |                    | 7688.400    | 3000            |                        | 2228489.80                    |       | 2228489.80          |        |              |        |              |        | 401128.20    |  |

Total  
 TCS @ % of Rs./- Under Section 206 C (1H) under Income tax Act- 1961  
 Rounding Diff  
 Total Bill Amount

2629618.20  
 0.00  
 0.20-  
 2629618.00

Invoice Value(In Words) TWENTY SIX LAKH TWENTY NINE THOUSAND SIX HUNDRED EIGHTEEN Rupees ONLY.

Serial Number of Crates:  
 IYB01365,IYB01358,IYB01362,IYB01374,IYB01373,IYB01372,IYB01367,IYB01371,IYB01370,IYB01369,IYB01375,IYB01381,IYB01379,IYB01378,IYB01377,IYB01376,IYB01382,IYB01383,IYB01380,IYB01368,

**General Terms and Conditions**

1. Customers are advised to inspect the material at the time of receipt. Any quality claim must be reported within 30 days of receipt. Glass is fragile material. Any breakages up to 1% of invoice value cannot be claimed.
2. This sale is subject to general terms & conditions of sales of the Company.
3. Time of payment is the essence of the contract. Payment shall be made within the due date as may be indicated in the Tax invoice. Interest will be charged at 18% PA on delayed payments beyond agreed credit terms.
4. Any GST or other taxes either existing or which may be imposed or assessed in the future on this supply shall be paid by the buyer.
5. Typographical, clerical or computer errors on the face of any Tax Invoice of BRL shall be subject to correction by BRL.
6. All disputes are subject to the jurisdiction of Bharuch courts only.
7. Bank Account Details : Kotak Mahindra Bank Ltd ., A/c.No. : 8512062493 , Branch : BKC, Mumbai, RTGS/NEFT/IFSC : KKBK0001368
8. We are compliant with all payment modes as prescribed U/S 269SU of Income Tax Act, 1961. Please contact us on payment.info@borosil.com for further details

For BOROSIL RENEWABLES LIMITED

Signature valid

Digitally Signed By:  
 DS BOROSIL RENEWABLES LIMITED 2  
 Fri 23-May-2025 21:28:25 IST

Regd Office : 1101, CRESCENZO, G-BLOCK, OPP. MCA CLUB, BANDRA KURLA COMPLEX, BANDRA (E), MUMBAI, MAHARASHTRA, INDIA, 400051



# E-Way Bill



**BILL FROM**  
24AAACB5484G1ZT  
BOROSIL RENEWABLES LIMITED  
24-Gujarat.

**BILL TO**  
06AAFCG5884Q1ZS  
GAUTAM SOLAR PRIVATE LIMITED  
06-Haryana.

**DISPATCH FROM**  
Ankleshwar - Rajpipla Road, Village :  
Govail, BRL Solar Glass Plant - I,  
Bharuch-393001, 24-Gujarat.

**SHIP TO**  
06AAFCG5884Q1ZS  
GAUTAM SOLAR PRIVATE LIMITED  
Bawani Khara, 7KM Milestone, Tosham  
Road, Dist. Bhiwani., BHIWANI-127032,  
06-Haryana.

E-Way Bill Number  
Generated Date  
Generated By

691909756901  
23/05/2025 09:28 PM  
24AAACB5484G1ZT - BOROSIL RENEWABLES  
LIMITED

Valid Up To  
29-05-2025 [Vehicle Type is R]

|                     |                                                             |
|---------------------|-------------------------------------------------------------|
| Mode                | Road                                                        |
| Distance Level (Km) | 1126                                                        |
| Supply Type         | Outward                                                     |
| Document Type       | INV                                                         |
| Document Details    | INV - 9000015763 (23-05-2025)                               |
| Transaction Type    | B2B (Business to Business)                                  |
| IRN                 | 5e9a52a18a20202a289f468132b372156009a73a6f04a9a05173a1a5b9a |
| IRN Ack Number      | 1a2520786525065                                             |
| IRN Ack Date        | 23-05-2025                                                  |
| Transaction Mode    | Bill To - Ship To                                           |
| Cancellation Date   |                                                             |
| Reason              |                                                             |

## GOODS DETAILS

| HSN CODE | ITEM DESCRIPTION                    | UQC |
|----------|-------------------------------------|-----|
| 70071900 | SOLAR GLASS TEMPERED (SAFETY GLASS) | SQM |

| PRICE/UNIT | QUANTITY | TAXABLE AMOUNT (₹) | TAX RATE<br>(C+S/UT+I+C/CESS/CESS NON ADV) |
|------------|----------|--------------------|--------------------------------------------|
| 289.850    | 7.688.4  | 2,228,489.8        | 18                                         |

|                          |               |                       |     |
|--------------------------|---------------|-----------------------|-----|
| Total Quantity           | : 7,688.4     | Other Charges (₹)     | : 0 |
| Total Taxable Amount (₹) | : 2,228,489.8 | CGST (₹)              | : 0 |
| IGST (₹)                 | : 401,128.2   | CESS (₹)              | : 0 |
| Total Invoice Amount (₹) | : 2,629,618   | SGST (₹)              | : 0 |
|                          |               | Cess Non Advakrem (₹) | : 0 |

## TRANSPORTATION DETAILS

Transporter ID : 24ABOPS32801ZT  
Transporter Name : EAST WEST ROADLINES

Transport Document Number : 594533  
Transport Document Date : 23-05-2025

## VEHICLE DETAILS

| MODE | VEHICLE# / TRANSPORT# | FROM    | ENTERED DATE        | ENTERED BY      | CEWB# | MULTI VEHICLE INFO |
|------|-----------------------|---------|---------------------|-----------------|-------|--------------------|
| Road | RJ32GGB167 / 594533   | Bharuch | 23-05-2025 21:28:00 | 24AAACB5484G1ZT |       |                    |



691909756901



Scanned with OKEN Scanner

Address: ANKLESHWAR RAJPIPLA ROAD, VILLAGE- GOVALL, TALUKA- JHAGADIA, District BHARUCH- 393001, GUJARAT.  
 Email: brl@borosil.com Website: borosilrenewables.com IEC NO : 0388038772  
 T: +91 2645 258100, Fax: 220163



CM/L No. 7100072694

## CERTIFICATE OF CONFORMITY

| Customer : GAUTAM SOLAR PRIVATE LIMITED                                                                                                                                                                                                                                                                        |              | Type of Glass : Solar H.S Glass                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                     | Type of Design : PM-M            |  | Invoice No & Date : 9000015763- 23/05/2025 |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------------------------------|--|--------------------------------------------|--------|--|--|--|--------------|---------------------|---------------------|------------|---|---|---|------------------|---|---|---|----------|---|---|---|----------|--|
| Material Description : 2.0 T X 2272 W X 1128 L 3 HOLE                                                                                                                                                                                                                                                          |              | Number of Sample : 20                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                     | Sample Size : 1 Pc. Per Box      |  | LC Detail : Qty : 3,000                    |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Property / Specification                                                                                                                                                                                                                                                                                       |              | Test Method/Standard                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                     | Limit                            |  | Observation                                |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Dimension, Physical and Edge Properties :                                                                                                                                                                                                                                                                      |              | Barcode No:<br>IYB01383, IYB01382, IYB01374, IYB01367, IYB01375, IYB01376, IYB01379, IYB01378, IYB01377, IYB01365, IYB01381, IYB01380, IYB01370, IYB01369, IYB01368, IYB01362, IYB01373, IYB01372, IYB01371, IYB01358,                                                                                                                                                                                                                                                                |                     |                                  |  |                                            |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Dimensions L X W (mm)                                                                                                                                                                                                                                                                                          |              | Measuring Tape                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                     | 2,272 x 1128. (mm)               |  | 2,272 x 1128. (mm)                         |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Dimensional Tolerance (mm)                                                                                                                                                                                                                                                                                     |              | Measuring Tape                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                     | ± 1.5 MM                         |  | ± 1.5 MM                                   |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Nominal Thickness (mm)                                                                                                                                                                                                                                                                                         |              | Disc Micrometer (Ø 20 mm)                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                     | 2.00 mm ± 0.2 mm                 |  | 1.85 mm to 2.20 mm                         |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Density of Glass                                                                                                                                                                                                                                                                                               |              | Sink and Float method                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                     | 2.5 gm/cm <sup>3</sup> (Typical) |  | Complies                                   |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Angularity (Max difference between diagonal lengths)                                                                                                                                                                                                                                                           |              | Measuring Tape                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                     | max. 3mm                         |  | 0.00 mm                                    |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Cut Corner                                                                                                                                                                                                                                                                                                     |              | Measuring Tape                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                     | Min 1mm, Max 4mm                 |  | Complies                                   |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Shells (max. L X W X D)                                                                                                                                                                                                                                                                                        |              | Visual/Measuring Tape                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                     | 12mm x 2mm x 1mm                 |  | Complies                                   |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Local bow                                                                                                                                                                                                                                                                                                      |              | EN12150-1: 2015                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                     | 0.5 mm/ 300 mm                   |  | 0.02 mm                                    |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| General bow                                                                                                                                                                                                                                                                                                    |              | EN12150-1: 2015                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                     | 4mm/ metre                       |  | 2.80 mm                                    |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Light Transmittance T <sub>v</sub>                                                                                                                                                                                                                                                                             |              | EN 410(D65), 380-1100 nm, AM 1.5                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                     | > 91.5 %                         |  | Complies                                   |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| <p>572-5 : 2012/5.2.1 Place the pane of Glass to be examined vertically 3 m in front and parallel to a matt gray screen ( Conditions approximating to diffuse day light). Arrange the point of observation 1.5 m from glass</p> <p>keeping the direction of observation perpendicular to the glass surface</p> |              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                     |                                  |  |                                            |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Spherical bubbles/solid inclusions per m <sup>2</sup> (Number per size)                                                                                                                                                                                                                                        |              | $\leq 0.5$ mm = unlimited, $> 0.5 - \leq 1.5$ mm = 6 nos.,<br>$> 1.5 - 3$ mm = 2 no., $> 3$ mm not allowed                                                                                                                                                                                                                                                                                                                                                                            |                     |                                  |  | Complies                                   |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Longitudinal bubbles/solid inclusions per m <sup>2</sup> (Number per size)                                                                                                                                                                                                                                     |              | <table border="1"> <thead> <tr> <th>Width</th> <th colspan="3">Length</th> </tr> <tr> <th></th> <th><math>\leq 10</math> mm</th> <th><math>&gt; 10 - \leq 25</math> mm</th> <th><math>&gt; 25</math> mm</th> </tr> </thead> <tbody> <tr> <td>up to 1 mm</td> <td>4</td> <td>2</td> <td>0</td> </tr> <tr> <td><math>&gt; 1.0 - 2.0</math> mm</td> <td>2</td> <td>0</td> <td>0</td> </tr> <tr> <td><math>&gt; 2</math> mm</td> <td>0</td> <td>0</td> <td>0</td> </tr> </tbody> </table> |                     |                                  |  | Width                                      | Length |  |  |  | $\leq 10$ mm | $> 10 - \leq 25$ mm | $> 25$ mm           | up to 1 mm | 4 | 2 | 0 | $> 1.0 - 2.0$ mm | 2 | 0 | 0 | $> 2$ mm | 0 | 0 | 0 | Complies |  |
| Width                                                                                                                                                                                                                                                                                                          | Length       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                     |                                  |  |                                            |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
|                                                                                                                                                                                                                                                                                                                | $\leq 10$ mm | $> 10 - \leq 25$ mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | $> 25$ mm           |                                  |  |                                            |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| up to 1 mm                                                                                                                                                                                                                                                                                                     | 4            | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 0                   |                                  |  |                                            |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| $> 1.0 - 2.0$ mm                                                                                                                                                                                                                                                                                               | 2            | 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 0                   |                                  |  |                                            |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| $> 2$ mm                                                                                                                                                                                                                                                                                                       | 0            | 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 0                   |                                  |  |                                            |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Scratches                                                                                                                                                                                                                                                                                                      |              | <table border="1"> <thead> <tr> <th>Width</th> <th colspan="3">Length</th> </tr> <tr> <th></th> <th><math>\leq 5</math> mm</th> <th><math>&gt; 5 - \leq 10</math> mm</th> <th><math>&gt; 10 - \leq 25</math> mm</th> </tr> </thead> <tbody> <tr> <td><math>&lt; 1.0</math> mm</td> <td>4</td> <td>2</td> <td>1</td> </tr> <tr> <td><math>&gt; 1.0</math> mm</td> <td>0</td> <td>0</td> <td>0</td> </tr> </tbody> </table>                                                             |                     |                                  |  | Width                                      | Length |  |  |  | $\leq 5$ mm  | $> 5 - \leq 10$ mm  | $> 10 - \leq 25$ mm | $< 1.0$ mm | 4 | 2 | 1 | $> 1.0$ mm       | 0 | 0 | 0 | Complies |   |   |   |          |  |
| Width                                                                                                                                                                                                                                                                                                          | Length       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                     |                                  |  |                                            |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
|                                                                                                                                                                                                                                                                                                                | $\leq 5$ mm  | $> 5 - \leq 10$ mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | $> 10 - \leq 25$ mm |                                  |  |                                            |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| $< 1.0$ mm                                                                                                                                                                                                                                                                                                     | 4            | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 1                   |                                  |  |                                            |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| $> 1.0$ mm                                                                                                                                                                                                                                                                                                     | 0            | 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 0                   |                                  |  |                                            |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Cleanliness                                                                                                                                                                                                                                                                                                    |              | Irremovable dirt is not permitted                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                     |                                  |  | Complies                                   |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Surface Compression Stress (Mpa)                                                                                                                                                                                                                                                                               |              | 100% Visual Inspection for label Position, Scratch, Bubbles & Other Visual defects                                                                                                                                                                                                                                                                                                                                                                                                    |                     |                                  |  | Complies                                   |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Fragmentation Test                                                                                                                                                                                                                                                                                             |              | ASTM-1048                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                     |                                  |  | Complies                                   |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Iron Content                                                                                                                                                                                                                                                                                                   |              | IS 16982:2018                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                     |                                  |  | Complies                                   |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Mechanical strength (N/mm <sup>2</sup> )                                                                                                                                                                                                                                                                       |              | IS 16982:2018                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                     |                                  |  | Complies                                   |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
| Surface Roughness Ra Value Avg.                                                                                                                                                                                                                                                                                |              | Surface roughness tester from Mitutoyo                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |                                  |  | Complies                                   |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |
|                                                                                                                                                                                                                                                                                                                |              | $\leq 120$ ppm<br>$\geq 55$ (N/mm <sup>2</sup> )<br>$0.40 \# 2.5 \mu\text{m}$                                                                                                                                                                                                                                                                                                                                                                                                         |                     |                                  |  | Complies                                   |        |  |  |  |              |                     |                     |            |   |   |   |                  |   |   |   |          |   |   |   |          |  |

