

TAX INVOICE

"Issued Under Rule 46 of the Central Goods and Services Tax Rules, 2017"
BOROSIL RENEWABLES LIMITED

GSTIN : 24AAACB5484Q1ZT CIN : L26100MH1962PLC012538 PAN No : AAACB5484G
Address: ANKURSHWAR RAJPIPLA ROAD, VILLAGE- GOVALI, TALUKA- JHAGADIA,
DISTRICT - BHARUCH- 393001, GUJARAT, Tel No : +91 2645 258100
Email: brl@borosil.com Website: borosilrenewables.com

ORIGINAL FOR
RECIPIENT



QRN
49d1c3ebe9b767c21ad735553d63719824
7fcaakh26e6965e5f78ad81b1435e0

Reverse Charge: No

SDNTG0032

Shipped to SDNTG0032

GAUTAM SOLAR PRIVATE LIMITED
7KM Milestone, Tosham Road,
Dist. Bhiwani,
Bhawani Khara
BHIWANI 127032
Tel: 9289350480 Mob.
State: Haryana
State Code: 06
GSTIN/UID: 06AAFCG5884Q1Z8

GAUTAM SOLAR PRIVATE LIMITED ✓
7KM Milestone, Tosham Road,
Dist. Bhiwani,
Bhawani Khara
BHIWANI 127032
Tel: 9289350480 Mob.
State: Haryana
State Code: 06
GSTIN/UID: 06AAFCG5884Q1Z8

Invoice No	9000017609
Invoice Date	22/08/2025
Sales Order No.	26003030
Delivery No.	88018325
Shipment No.	21693
Customer Order Ref No.	CRP1-25-26-708
Mode of Transport	Truck
Transporter Name	NEW BHARAT GOLDEN LOGISTICS PVT
Vehicle No.	RJ07GC 6497
LR No.	158234
LR Date	22/08/2025
Place of Supply	BHIWANI(06)
Delivery Terms	FOR
Payment Terms	45 days from date of dispatch

S.No	Material Code	Description of Material	Brand	HSN/SA C Code	No of Crate s	No of Piece/ Crate	Total Qtymts	Total No of Pcs	Rate (Price Per Piece)	Total Value (Rs.)	Disc.	Taxable Value (Rs.)	CGST		SGST		IGST	
													Rate %	Amount (Rs.)	Rate %	Amount (Rs.)	Rate %	Amount (Rs.)
1	T020022720112810P	SOLAR GLASS TEMPERED 2.0 T X 3272 W X 1128 L 4 HOLE 12 MM GR		700719	20	150	7,688.400	3000	850.83	2,552,550.00		2,552,550.00	0.00	0.00	0.00	0.00	18.00	459,459.00
Sub Total					20		7688.400	3000		2552550.00		2552550.00						459459.00
Total																	3012009.00	
TCS @ 1% of Rs. /- Under Section 206 C (1H) under Income tax Act- 1961																	0.00	
Rounding Diff																	0.00	
Total bill Amount																	3012009.00	

Invoice Value (in Words) THIRTY LAKH TWELVE THOUSAND NINE Rupees ONLY.

Serial Number of Cretes: IYE01169, IYE01178, IYE01179, IYE01184, IYE01181, IYE01190, IYE01192, IYE01191, IYE01188, IYE01186, IYE01185, IYE01182, IYE01183, IYE01180, IYE01155, IYE01153, IYE01156, IYE01152, IYE01151, IYE01154.

General Terms and Conditions

1. Customers are advised to inspect the material at the time of receipt. Any quality claim must be reported within 30 days of receipt. Glass is fragile material. Any breakages up to 1% of invoice value cannot be claimed.
2. This sale is subject to general terms & conditions of sales of the Company.
3. Time of payment is the essence of the contract. Payment shall be made within the due date as may be indicated in the Tax Invoice. Interest will be charged at 18% PA on delayed payments beyond agreed credit terms.
4. Any GST or other taxes either existing or which may be imposed or assessed in the future on this supply shall be paid by the buyer.
5. Typographical, clerical or computer errors on the face of any Tax Invoice of BRL shall be subject to correction by BRL.
6. All disputes are subject to the jurisdiction of Bharuch courts only.
7. Bank Account Details: Kotak Mahindra Bank Ltd., A/c No. : 8512062493, Branch: BKC, Mumbai, RTGS/NEFT/IFSC: KKBK0001368
8. We are compliant with all payment modes as prescribed U/S 2698U of Income Tax Act, 1961. Please contact us on payment.info@borosil.com for further details.

For BOROSIL RENEWABLES LIMITED

Signature valid

Digitally Signed By:
DS BOROSIL RENEWABLES LIMITED 2
Fri 22-Aug-2025 18:59:26 IST

Regd Office : 1101, CRESCENZO, G-BLOCK, OPP. MCA CLUB, BANDRA KURLA COMPLEX, BANDRA (E), MUMBAI, MAHARASHTRA, INDIA, 400051

Remark's - Steel Pallets : 5r Nos. 20 (4929, 4944, 4953, 4963, 4965, 4968, 4998, 5020, 5026, 5029, 5030, 5032, 5037, 5040, 5047, 5048, 5049, 5051, 5052 & 5053)
are on Returnable basis and cost of the same is not included in Assessable Value.

BOROSIL RENEWABLES LIMITED

Village: Govall, Ta: Jhagadia, Dist. Bharuch, Gujarat-393001.
 Phone: +91 2645 258100, 220120 Fax: 220163
 Email: brl@borosil.com Website: borosilrenewables.com

RETURNABLE GATE PASS No : STL60009129

Vehicle No : RJ07GC 6497

Sending Date : 22.08.2025

Expected Date : 25.09.2025

Sending Time : 19:01:33

Delivery Date :

Gate Pass Cat : Invoice Document

Purpose : Steel Pallets Packing

PoNo/PrNo/InvoiceNo : 9000017609


Gate Entry No :

Please allow M/s GAUTAM SOLAR PRIVATE LIMITED, to take the following Materials

S.No	Material Description	Quantity	Unit
1.	STEEL BASE 2274 SRNO-4929	1.000	NO
2.	STEEL BASE 2274 SRNO-4944	1.000	NO
3.	STEEL BASE 2274 SRNO-4953	1.000	NO
4.	STEEL BASE 2274 SRNO-4963	1.000	NO
5.	STEEL BASE 2274 SRNO-4965	1.000	NO
6.	STEEL BASE 2274 SRNO-4968	1.000	NO
7.	STEEL BASE 2274 SRNO-4998	1.000	NO
8.	STEEL BASE 2274 SRNO-5020	1.000	NO
9.	STEEL BASE 2274 SRNO-5026	1.000	NO
10.	STEEL BASE 2274 SRNO-5029	1.000	NO
11.	STEEL BASE 2274 SRNO-5030	1.000	NO
12.	STEEL BASE 2274 SRNO-5032	1.000	NO
13.	STEEL BASE 2274 SRNO-5037	1.000	NO
14.	STEEL BASE 2274 SRNO-5040	1.000	NO
15.	STEEL BASE 2274 SRNO-5047	1.000	NO
16.	STEEL BASE 2274 SRNO-5048	1.000	NO
17.	STEEL BASE 2274 SRNO-5049	1.000	NO
18.	STEEL BASE 2274 SRNO-5051	1.000	NO
19.	STEEL BASE 2274 SRNO-5052	1.000	NO
20.	STEEL BASE 2274 SRNO-5053	1.000	NO

Prepared by

Received by



Authorised by



E-Way Bill



BILL FROM

24AAACBS484G1ZT
BOROSIL RENEWABLES LIMITED
24-Gujarat

BILL TO

06AAFCG5884Q1ZS
GAUTAM SOLAR PRIVATE LIMITED
06-Haryana

DISPATCH FROM

Ankeshwar - Rajpala Road Village :
Govell, BRL Solar Glass Plant - I,
Bharuch-393001, 24-Gujarat.

SHIP TO

06AAFCG5884Q1ZS
GAUTAM SOLAR PRIVATE LIMITED
Bawani Khara, 7KM Milestone, Tosham
Road, Dist.Bhiwani, BHIWANI-127032,
06-Haryana.

E-Way Bill Number	611957258596
Generated Date	22/08/2025 06:53 PM
Generated By	24AAACBS484G1ZT - BOROSIL RENEWABLES LIMITED
Valid Upto	28-08-2025 (Vehicle Type is RJ)
Mode	Road
Distance Level (Km)	1128
Supply Type	Outward
Document Type	INV
Document Details	INV - 9000017659 (22-08-2025) B2B (Business to Business)
Transaction Type	
IRN	49d1c3eb7b7121a073553d817192c170a6b20a98c5a7b0a1b1c430a8
IRN Ack Number	162521726329217
IRN Ack Date	22-08-2025
Transaction Mode	Bill To - Ship To
Cancellation Date	
Reason	

GOODS DETAILS

HSN CODE	ITEM DESCRIPTION	UC	PRICE/UNIT	QUANTITY	TAXABLE AMOUNT (₹)	TAX RATE (C+S/UT+I+CESS/CESS NON ADY)
70071900	SOLAR GLASS TEMPERED (SAFETY GLASS)	SOM	332.000	7.688.4	2,552,550	18

Total Quantity	: 7,688.4	Other Charges (₹)	: 0	Total Invoice Amount (₹)	: 3,072,009
Total Taxable Amount (₹)	: 2,552,550	CGST (₹)	: 0	SGST (₹)	: 0
IGST (₹)	: 459,459	CESS (₹)	: 0	Cess Non Advalorem (₹)	: 0

TRANSPORTATION DETAILS

Transporter ID	: 07AADCN867ZK1ZX	Transport Document Number	: 158234
Transporter Name	: NEW BHARAT GOLDEN LOGISTICS PVT LTD	Transport Document Date	: 22-08-2025

VEHICLE DETAILS

MODE	VEHICLE# / TRANSPORT#	FROM	ENTERED DATE	ENTERED BY	CEWB#	MULTI VEHICLE INFO
Road	RJ07G6497 / 158234	Bharuch	22-08-2025 18:53:00	24AAACBS484G1ZT		



611957258596



Address: ANKLESHWAR RAJPIPLA ROAD, VILLAGE- GOVALI, TALUKA- JHAGADIA, District BHARUCH- 393001, GUJARAT.
Email: btl@borosil.com Website: borosilrenewables.com IEC NO : 0388038772
BOROSIL RENEWABLES LIMITED
T +91 2645 258100, Fax: 220163
CERTIFICATE OF CONFORMITY

CERTIFICATE OF CONFORMITY

Sr. Property / Specification		Test Method/Standard	Limit	Observation
Material Description : 2.0 T X 2272 W X 1128 L 3 HOLE 2.0 MM GL		Type of Glass : Solar H.S Glass	Type of Design : P/M-M	Invoice No & Date : 9000017609 22/08/2025 LC Detail: - Qty : 3,000
Dimension, Physical and Edge Properties :		BarcodeNo: IYE01153,IYE01152,IYE01151,IYE01154,IYE01188,IYE01186,IYE01192,IYE01184,IYE01185,IYE01183,IYE01178,IYE01179,IYE01181,IYE01182,IYE01180,IYE01155,IYE01156,IYE01169,IYE01190,IYE01191		
01	Dimensions L X W (mm)	Measuring Tape	2,272 x 1128. (mm)	2,272 x 1128. (mm)
02	Dimensional Tolerance (mm)	Measuring Tape	± 1.5 MM	± 1.5 MM
03	Normal Thickness (mm)	Disc Micrometer (Ø 20 mm)	2.00 mm ± 0.2 mm	1.85 mm to 2.17 mm
04	Density of Glass	Sink and Float method	2.5 gm/cm ³ (Typical)	Complies
05	Angularity (Max difference between diagonal lengths)	Measuring Tape	max. 3mm	0.00 mm
06	Cut Corner	Measuring Tape	Min 1mm, Max 4mm	Complies
07	Shells (max. L X W X D)	Visual/Measuring Tape	12mmx2mmx1mm	0.03 mm
08	Local bow	EN12150-1: 2015	0.5 mm/300 mm	Complies
09	General bow	EN12150-1: 2015	4mm/ metre	3.10 mm
10	Light Transmittance 1v	EN 410(D65),380-1100 nm,AM 1.5	> 91.5 %	Complies
Class Quality EN 572-5 : 2012/5.2.1 Place the pane of Glass to be examined vertically 3 m in front and parallel to a matt gray screen (Conditions approximating to diffuse day light). Arrange the point of observation 1.5 m from glass keeping the direction of observation perpendicular to the glass surface				
11	Special bubbles/solid inclusions per m ²		5 0.5 mm=unlimited,>0.5 - 51.5mm=6 nos., >1.5-3mm=2 no., >3 mm not allowed	Complies
12	Longitudinal bubbles/solid inclusions per m ²		Width ≤10 mm >10 -≤25 mm > 25 mm	Complies
			up to 1 mm >1.0-2.0 mm > 2 mm	
			Width ≤5 mm > 5 -≤ 10 mm > 10 -≤ 25mm	Complies
13	Scratches		Length ≤5 mm > 5 -≤ 10 mm > 10 -≤ 25mm	Complies
14	Cleanliness		Width ≤10 mm >10 -≤25 mm > 25 mm	Complies
			up to 1 mm >1.0-2.0 mm > 2 mm	
			Length ≤5 mm > 5 -≤ 10 mm > 10 -≤ 25mm	Complies
			Width ≤10 mm >10 -≤25 mm > 25 mm	Complies
			up to 1 mm >1.0-2.0 mm > 2 mm	
			Length ≤5 mm > 5 -≤ 10 mm > 10 -≤ 25mm	Complies
			Width ≤10 mm >10 -≤25 mm > 25 mm	Complies
			up to 1 mm >1.0-2.0 mm > 2 mm	
			Length ≤5 mm > 5 -≤ 10 mm > 10 -≤ 25mm	Complies
			Width ≤10 mm >10 -≤25 mm > 25 mm	Complies
			up to 1 mm >1.0-2.0 mm > 2 mm	
			Length ≤5 mm > 5 -≤ 10 mm > 10 -≤ 25mm	Complies
			Width ≤10 mm >10 -≤25 mm > 25 mm	Complies
			up to 1 mm >1.0-2.0 mm > 2 mm	
			Length ≤5 mm > 5 -≤ 10 mm > 10 -≤ 25mm	Complies
			Width ≤10 mm >10 -≤25 mm > 25 mm	Complies
			up to 1 mm >1.0-2.0 mm > 2 mm	
			Length ≤5 mm > 5 -≤ 10 mm > 10 -≤ 25mm	Complies
			Width ≤10 mm >10 -≤25 mm > 25 mm	Complies
			up to 1 mm >1.0-2.0 mm > 2 mm	
			Length ≤5 mm > 5 -≤ 10 mm > 10 -≤ 25mm	Complies
			Width ≤10 mm >10 -≤25 mm > 25 mm	Complies
			up to 1 mm >1.0-2.0 mm > 2 mm	
			Length ≤5 mm > 5 -≤ 10 mm > 10 -≤ 25mm	Complies
			Width ≤10 mm >10 -≤25 mm > 25 mm	Complies
			up to 1 mm >1.0-2.0 mm > 2 mm	
			Length ≤5 mm > 5 -≤ 10 mm > 10 -≤ 25mm	Complies
			Width ≤10 mm >10 -≤25 mm > 25 mm	Complies
			up to 1 mm >1.0-2.0 mm > 2 mm	
			Length ≤5 mm > 5 -≤ 10 mm > 10 -≤ 25mm	Complies
			Width ≤10 mm >10 -≤25 mm > 25 mm	Complies
			up to 1 mm >1.0-2.0 mm > 2 mm	
			Length ≤5 mm > 5 -≤ 10 mm > 10 -≤ 25mm	Complies
			Width ≤10 mm >10 -≤25 mm > 25 mm	Complies
			up to 1 mm >1.0-2.0 mm > 2 mm	
			Length ≤5 mm > 5 -≤ 10 mm > 10 -≤ 25mm	Complies
			Width ≤10 mm >10 -≤25 mm > 25 mm	Complies
			up to 1 mm >1.0-2.0 mm > 2 mm	
			Length ≤5 mm > 5 -≤ 10 mm > 10 -≤ 25mm	Complies
			Width ≤10 mm >10 -≤25 mm > 25 mm	Complies