

NHAVA SHEVA :
(M) 9050789892



Subject to Delhi Jurisdiction only


Sign. of the Trans. Operator

A Company Where SPEED and SAFETY comes FIRST

TAX INVOICE
"Issued Under Rule 46 of the Central Goods and Services Tax Rules, 2017"
BOROSIL RENEWABLES LIMITED

GSTIN : 24AAACB5484G1ZT CIN : L26100MH1962PLC012538 PAN No : AAACB5484G
Address: ANKLESHWAR RAJPIPLA ROAD, VILLAGE- GOVALI, TALUKA- JHAGADIA,
DISTRICT - BHARUCH- 393001, GUJARAT. Tel No +91 2645 258100
Email: brl@borosil.com Website: borosilrenewables.com

ORIGINAL FOR
RECIPIENT



IRN :
a6efbd11171e095077d2a10a8ada373fad4
9a39c7e1d2fb6465b06afa3e75923

Reverse Charge: No

NTG0032 SHIPPED TO SDNTG0032 SHIPPED FROM R PRIVATE LIMITED Tosham Road, 032 0 Mob. 06AAFCG5884Q1ZS		Shipped to SDNTG0032 GAUTAM SOLAR PRIVATE LIMITED 7KM Milestone, Tosham Road, Dist. Bhiwani, Bawani Khera BHIWANI 127032 Tel. 9289350480 Mob. State: Haryana State Code: 06 GSTIN/UID: 06AAFCG5884Q1ZS		Invoice No 9000019127 Invoice Date 30/10/2025													
		Sales Order No. 26003314 Delivery No. 88019878 Shipment No. 23209 Customer Order Ref No. GSPLHR25261397 Mode of Transport Truck Transporter Name NEW BHARAT GOLDEN LOGISTICS PVT Vehicle No RJ36GA 8875 LR No. 160309 LR Date 30/10/2025 Place of Supply BHIWANI(06) Delivery Terms FOR Payment Terms 45 days from date of dispatch															
Material Code	Description of Material	Brand	HSN/SA C Code	No of Crates	No of Piece/ Crate	Total Sqmts	Total No of Pcs	Rate (Price Per Piece)	Total Value (Rs.)	Disc.	Taxable Value (Rs.)	CGST		SGST		IGST	
	SOLAR GLASS TEMPERED											Rate %	Amount (Rs.)	Rate %	Amount (Rs.)	Rate %	Amount (Rs.)
02002272011280FO	2.0 T X 2272 W X 1128 L 3 HOLE 12 MM		700719	7	150	2,690.940	1050	807.29	847,654.19		847,654.19	0.00	0.00	0.00	0.00	18.00	152,577.81
Sub Total							7		2690.940	1050	847654.19		847654.19				152577.81
1000232.31 0.00 0.31- 1000232.00																	
2 % of Rs.-/- Under Section 206 C (1H) under Income tax Act- 1961																	
ing Diff																	
Bill Amount																	
ce Value(In Words) TEN LAKH TWO HUNDRED THIRTY TWO Rupees ONLY.																	
al Number of Crates: IYG02169,IYG02170,IYG02172,IYG02171,IYG02166,IYG02167,IYG02168,																	
General Terms and Conditions Customers are advised to inspect the material at the time of receipt. Any quality claim must be reported within 30 days of receipt. Glass is fragile material. Any breakages up to 1% of invoice value cannot be claimed. This sale is subject to general terms & conditions of sales of the Company. Time of payment is the essence of the contract. Payment shall be made within the due date as may be indicated in the Tax invoice. Interest will be charged at 18% PA on delayed payments beyond agreed credit terms. Any GST or other taxes either existing or which may be imposed or assessed in the future on this supply shall be paid by the buyer. 5. Typographical, clerical or computer errors on the face of any Tax Invoice of BRL shall be subject to correction by BRL. 6. All disputes are subject to the jurisdiction of Bharuch courts only. 7. Bank Account Details : Kotak Mahindra Bank Ltd., A/c.No. : 8512062493, Branch : BKC, Mumbai, RTGS/NEFT/IFSC : KKBK0001368 8. We are compliant with all payment modes as prescribed U/S 269SU of Income Tax Act, 1961. Please contact us on payment.info@borosil.com for further details												For BOROSIL RENEWABLES LIMITED Signature valid Digitally Signed By: DS BOROSIL RENEWABLES LIMITED 2 Thu 30-Oct-2025 22:46:44 IST					
Regd Office : 1101, CRESCENZO, G-BLOCK, OPP. MCA CLUB, BANDRA KURLA COMPLEX, BANDRA (E), MUMBAI, MAHARASHTRA, INDIA, 400051																	

Remark's - Steel Pallets : 07 Nos. (Sr.Nos. :- 309,312,313,314,318,319 & 321)
are on Returnable basis and cost of the same is not included in Assessable Value.

BOROSIL RENEWABLES LIMITED

Customs

Village:Govali, Ta:Jhagadia, Dist. Bharuch,Gujarat-393001.
Phone: +91 2645 258100,220120 Fax:220163
Email:brl@borosil.com Website:borosilrenewables.com

RETURNABLE GATE PASS No : STL/60009654

Sending Date : 30.10.2025

Sending Time : 22:41:01

Gate Pass Cat : Invoice Document

PoNo/PrNo/InvoiceNo : 9000019127

Please allow M/s. GAUTAM SOLAR PRIVATE LIMITED, to take the following Materials

S.No	Material Description	Quantity	Unit
1.	Steel Base 2274 Smo-10309	1.000	NO
2.	Steel Base 2274 Smo-10312	1.000	NO
3.	Steel Base 2274 Smo-10313	1.000	NO
4.	Steel Base 2274 Smo-10314	1.000	NO
5.	Steel Base 2274 Smo-10318	1.000	NO
6.	Steel Base 2274 Smo-10319	1.000	NO
7.	Steel Base 2274 Smo-10321	1.000	NO

For, Borosil Renewables Limited

(Anil Singh AGM Warehouse)
Authorised Signatory

Prepared by

Received by

Authorised by



BILL FROM
24AAACB5484G1ZT
BOROSIL RENEWABLES LIMITED
24-Gujarat.

BILL TO
06AAFCG5884Q1ZS
GAUTAM SOLAR PRIVATE LIMITED
06-Haryana.

DISPATCH FROM
Ankleshwar - Rajpipla Road, Village :
Govall, BRL Solar Glass Plant - I,
Bharuch-393001, 24-Gujarat.

SHIP TO
06AAFCG5884Q1ZS
GAUTAM SOLAR PRIVATE LIMITED
Bawani Khera, 7KM Milestone, Tosham
Road, Dist. Bhiwani, BHIWANI-127032,
06-Haryana.

E-Way Bill Number	641995807739
Generated Date	30/10/2025 10:38 PM
Generated By	24AAACB5484G1ZT - BOROSIL RENEWABLES LIMITED
Valid Upto	05-11-2025 [Vehicle Type is R]
Mode	Road
Distance Level (Km)	1126
Supply Type	Outward
Document Type	INV
Document Details	INV - 9000019127 (30-10-2025)
Transaction Type	B2B (Business to Business)
IRN	a8efbd11171e0b5077d2a10a8a1a373fd49a39c7e1d2b6465b08afa3e75923
IRN Ack Number	162522449525313
IRN Ack Date	30-10-2025
Transaction Mode	Bill To - Ship To
Cancellation Date	-
Reason	-

GOODS DETAILS

HSN CODE	ITEM DESCRIPTION	UQC	PRICE/UNIT	QUANTITY	TAXABLE AMOUNT (₹)	TAX RATE (C+S/UT+I+CESS/CESS NON ADV)
70071900	SOLAR GLASS TEMPERED (AR COATED) (SAFETY)	SQM	315.000	2.690.94	847,654.19	18

Total Quantity : 2,690.94
Total Taxable Amount (₹) : 847,654.19
IGST (₹) : 152,577.81

Other Charges (₹) : 0
CGST (₹) : 0
CESS (₹) : 0

Total Invoice Amount (₹) : 1,000,232
SGST (₹) : 0
Cess Non Advalorem (₹) : 0

TRANSPORTATION DETAILS

Transporter ID : 07AADCN8672K1ZX
Transporter Name : NEW BHARAT GOLDEN LOGISTICS PVT LTD

Transport Document Number : 160309
Transport Document Date : 30-10-2025

VEHICLE DETAILS

MODE	VEHICLE# / TRANSPORT#	FROM	ENTERED DATE	ENTERED BY	CEWB#	MULTI VEHICLE INFO
Road	RJ36GA8875 / 160309	Bharuch	30-10-2025 22:38:00	24AAACB5484G1ZT		



641995807739


TAX INVOICE

"Issued Under Rule 46 of the Central Goods and Services Tax Rules, 2017"

BOROSIL RENEWABLES LIMITED

GSTIN : 24AAACB5484G1ZT CIN : L26100MH1962PLC012538 PAN No : AAACB5484G
Address: ANKLESHWAR RAJPIPLA ROAD, VILLAGE- GOVALI, TALUKA- JHAGADIA,
DISTRICT - BHARUCH- 393001, GUJARAT. Tel No +91 2645 258100
Email: brl@borosil.com Website: borosilrenewables.com

ORIGINAL FOR
RECIPIENT



IRN :
4776dcdb2c552a2efec6ca327587907aed
d02b8517766ef3851e640884b75676

Reverse Charge: No

TG0032

R PRIVATE LIMITED

osham Road,

32

Mob.

AAFCG5884Q1ZS

Shipped to

SDNTG0032

GAUTAM SOLAR PRIVATE LIMITED

7KM Milestone, Tosham Road,

Dist.Bhiwani,

Bawani Khera

BHIWANI 127032

Tel.9289350480 Mob.

State:Haryana

State Code:06

GSTIN/UID:06AAFCG5884Q1ZS

Invoice No	9000019128
Invoice Date	30/10/2025
Sales Order No.	26003314
Delivery No.	88019879
Shipment No.	23209
Customer Order Ref No.	GSPLHR25261397
Mode of Transport	Truck
Transporter Name	NEW BHARAT GOLDEN LOGISTICS PVT
Vehicle No	RJ36GA 8875
LR No.	160309
LR Date	30/10/2025
Place of Supply	BHIWANI(06)
Delivery Terms	FOR
Payment Terms	45 days from date of dispatch



IRN :
4776dcdb2c552a2efec6ca327587907aed
d02b8517766ef3851e640884b75676

Material Code	Description of Material	Brand	HSN/SA C Code	No of Crate s	No of Piece/ Crate	Total Sqmts	Total No of Pcs	Rate (Price Per Piece)	Total Value (Rs.)	Disc.	Taxable Value (Rs.)	CGST		SGST		IGST	
												Rate %	Amount (Rs.)	Rate %	Amount (Rs.)	Rate %	Amount (Rs.)
002272011280FO	2.0 T X 2272 W X 1128 L 3 HOLE 12 MM		700719	13	150	4,997.460	1950	807.29	1,574,215.21		1,574,215.21	0.00	0.00	0.00	0.00	18.00	283,358.79
Sub Total				13		4997.460	1950		1574215.21		1574215.21						283358.79

% of Rs./- Under Section 206 C (1H) under Income tax Act- 1961

ing Diff
Bill Amount

Value(In Words) EIGHTEEN LAKH FIFTY SEVEN THOUSAND FIVE HUNDRED SEVENTY FOUR Rupees ONLY.

Number of Crates: IYG02154,IYG02161,IYG02160,IYG02162,IYG02159,IYG02163,IYG02155,IYG02164,IYG02156,IYG02165,IYG02150,IYG02157,IYG02158,

General Terms and Conditions

Customers are advised to inspect the material at the time of receipt. Any quality claim must be reported within 30 days of receipt. Glass is fragile material. Any breakages up to 1% of invoice value cannot be claimed.
This sale is subject to general terms & conditions of sales of the Company.
Time of payment is the essence of the contract. Payment shall be made within the due date as may be indicated in the Tax invoice. Interest will be charged at 18% PA on delayed payments beyond agreed credit terms.
Any GST or other taxes either existing or which may be imposed or assessed in the future on this supply shall be paid by the buyer.
Typographical, clerical or computer errors on the face of any Tax Invoice of BRL shall be subject to correction by BRL.
All disputes are subject to the jurisdiction of Bharuch courts only.
7. Bank Account Details : Kotak Mahindra Bank Ltd., A/c.No. : 8512062493, Branch : BKC, Mumbai, RTGS/NEFT/IFSC : KKBK0001368
8. We are compliant with all payment modes as prescribed U/S 269SU of Income Tax Act, 1961. Please contact us on payment.info@borosil.com for further details

For BOROSIL RENEWABLES LIMITED

Signature valid

Digitally Signed By:
DS BOROSIL RENEWABLES LIMITED 2
Thu 30-Oct-2025 22:47:41 IST

Regd Office : 1101, CRESCENZO, G-BLOCK, OPP. MCA CLUB, BANDRA KURLA COMPLEX, BANDRA (E), MUMBAI, MAHARASHTRA, INDIA, 400051

E-Way Bill



BILL FROM
24AAACB5484G1ZT
BOROSIL RENEWABLES LIMITED
24-Gujarat.

BILL TO
06AAFCG5884Q1ZS
GAUTAM SOLAR PRIVATE LIMITED
06-Haryana.

DISPATCH FROM

Ankleshwar - Rajpipla Road, Village :
Govali., BRL Solar Glass Plant - I,
Bharuch-393001, 24-Gujarat.

SHIP TO
06AAFCG5884Q1ZS
GAUTAM SOLAR PRIVATE LIMITED

Bawani Khera, 7KM Milestone, Tosham
Road, Dist. Bhiwani., BHIWANI-127032,
06-Haryana.

E-Way Bill Number	631995807749
Generated Date	30/10/2025 10:38 PM
Generated By	24AAACB5484G1ZT - BOROSIL RENEWABLES LIMITED
Valid Upto	05-11-2025 [Vehicle Type is R]
Mode	Road
Distance Level (Km)	1126
Supply Type	Outward
Document Type	INV
Document Details	INV - 9000019128 (30-10-2025)
Transaction Type	B2B (Business to Business)
IRN	4776dcdb2c552a2efec6ca327587907aed002b8517768ef3851c640884b75679
IRN Ack Number	162522449525687
IRN Ack Date	30-10-2025
Transaction Mode	Bill To - Ship To
Cancellation Date	
Reason	

GOODS DETAILS

HSN CODE	ITEM DESCRIPTION	UQC	PRICE/UNIT	QUANTITY	TAXABLE AMOUNT (₹)	TAX RATE (C+S/UT+I+CESS/CESS NON ADV)
70071900	SOLAR GLASS TEMPERED (AR COATED) (SAFETY	SQM	315.000	4.997.46	1,574,215.21	18

Total Quantity	: 4,997.46	Other Charges (₹)	: 0	Total Invoice Amount (₹)	: 1,857,574
Total Taxable Amount (₹)	: 1,574,215.21	CGST (₹)	: 0	SGST (₹)	: 0
IGST (₹)	: 283,358.79	CESS (₹)	: 0	Cess Non Advalorem (₹)	: 0

TRANSPORTATION DETAILS

Transporter ID : 07AADCN8672K1ZX
Transporter Name : NEW BHARAT GOLDEN LOGISTICS PVT LTD

Transport Document Number : 160309
Transport Document Date : 30-10-2025

VEHICLE DETAILS

MODE	VEHICLE# / TRANSPORT#	FROM	ENTERED DATE	ENTERED BY	CEWB#	MULTI VEHICLE INFO
Road	RJ36GA8875 / 160309	Bharuch	30-10-2025 22:38:00	24AAACB5484G1ZT		



631995807749

Address: ANKLESHWAR RAJPIPLA ROAD, VILLAGE- GOVALI, TALUKA- JHAGADIA, District BHARUCH- 393001, GUJARAT.
 Email: bri@borosil.com Website: borosilrenewables.com IEC NO : 0388038772
 T: +91 2645 258100, Fax: 220163

BOROSIL RENEWABLES LIMITED

IS 2553 - 3 - 2019



CML No. 7100072694

CERTIFICATE OF CONFORMITY

GAUTAM SOLAR PRIVATE LIMITED		Type of Glass : Solar H.S Glass	Type of Design : P/M-M	Invoice No & Date : 9000019128 30/10/2023
Description : 2.0 T X 2272 W X 1128 L 3 HOLE		Number of Sample : 13	Sample Size : 1 Pc. Per Box	LC Detail:
erty / Specification		Test Method/Standard	Limit	Qty : 1,950
n, Physical and Edge Properties :		BarcodeNo: IYG02159, IYG02156, IYG02157, IYG02158, IYG02161, IYG02160, IYG02162, IYG02163, IYG02150, IYG02164, IYG02165, IYG02154, IYG02155.	Observation	
ensions L X W (mm)		Measuring Tape	2,272 x 1128. (mm)	2,272 x 1128. (mm)
ensional Tolerance (mm)		Measuring Tape	± 1.5 MM	± 1.5 MM
ninal Thickness (mm)		Disc Micrometer (Ø 20 mm)	2.00 mm ± 0.2 mm	1.86 mm to 2.15 mm
sity of Glass		Sink and Float method	2.5 gm/cm ³ (Typical)	Complies
gularity (Max difference between diagonal gths)		Measuring Tape	max. 3mm	0.00 mm
it Corner		Measuring Tape	Min 1mm, Max 4mm	Complies
ells (max. L X W X D)		Visual/Measuring Tape	12mmx2mmx1mm	Complies
ocal bow		EN12150-1: 2015	0.5 mm/ 300 mm	Complies
eneral bow		EN12150-1: 2015	4mm/ metre	0.01 mm
ight Transmittance Tv		EN 410(D65), 380-1100 nm, AM 1.5	> 91.5 %	3.10 mm
Quality				Complies

72-5 : 2012/5.2.1 Place the pane of Glass to be examined vertically 3 m in front and parallel to a matt gray screen (Conditions approximating to diffuse day light). Arrange the point of observation 1.5 m from glass
 ng the direction of observation perpendicular to the glass surface
 Spherical bubbles/solid inclusions per m2

Longitudinal bubbles/solid inclusions per m2		≤ 0.5 mm=unlimited, >0.5 - ≤1.5mm=6 nos., >1.5-3mm=2 no., >3 mm not allowed			Complies
		Width	Length		Complies
		up to 1 mm	≤10 mm	>10 - ≤25 mm	> 25 mm
			4	2	0
		>1.0-2.0 mm	2	0	0
		> 2 mm	0	0	0
Scratches		Width	Length		Complies
			≤5 mm	> 5 - ≤10 mm	> 10 - ≤25mm
		< 1.0 mm	4	2	1
		> 1.0 mm	0	0	0
14 Cleanliness		Irremovable dirt is not permitted			Complies

15 Surface Compression Stress (Mpa)		100% Visual Inspection for label Position, Scratch, Bubbles & Other Visual defects	Complies
16 Fragmentation Test		ASTM-1048	
17 Iron Content		IS 16982:2018	>52 Mpa
			Complies
18 Mechanical strength (N/mm2)		IS 16982:2018	≤ 120 ppm
			< 120 PPM
19 Surface Roughness Ra Value Avg.		Surface roughness tester from Mitutoyo	≥55 (N/mm2)
			0.40 to 2.5 µm
			Complies

* This is a computer-generated document. No signature is required



Address: ANKLESHWAR RAJPIPLA ROAD, VILLAGE- GOVALI, TALUKA- JHAGADIA, District BHARUCH- 393001, GUJARAT.
 Email: brl@borosil.com Website: borosilrenewables.com IEC NO : 0388038772
 T: +91 2645 258100, Fax: 220163

BOROSIL RENEWABLES LIMITED **CERTIFICATE OF CONFORMITY**

GAUTAM SOLAR PRIVATE LIMITED		CERTIFICATE OF CONFORMITY	
Description : 2.0 T X 2272 W X 1128 L 3 HOLE		Type of Glass : Solar H.S Glass	Type of Design : P/M-M
Property / Specification		Number of Sample : 7	Sample Size : 1 Pc. Per Box
on, Physical and Edge Properties :		BarcodeNo: IYG02169,IYG02170,IYG02167,IYG02168,IYG02172,IYG02171,IYG02166,	Invoice No & Date : 9000019127 30/10/2023
Dimensions L X W(mm)		Limit	LC Detail: Qty : 1,050
Dimensional Tolerance(mm)		Measuring Tape	Observation
Minimal Thickness (mm)		Measuring Tape	2,272 x 1128. (mm)
Density of Glass		Disc Micrometer (Ø 20 mm)	± 1.5 MM
Angularity (Max difference between diagonal lengths)		Sink and Float method	2.00 mm ± 0.2 mm
Cut Corner		Measuring Tape	2.5 gm/cm ³ (Typical)
Shells (max. L X W X D)		Measuring Tape	max. 3mm
Local bow		Visual/Measuring Tape	Min 1mm, Max 4mm
General bow		EN12150-1: 2015	12mmx2mmx1mm
Light Transmittance Tv		EN12150-1: 2015	0.5 mm/ 300 mm
s Quality		EN 410(D65),380-1100 nm,AM 1.5	4mm/ metre
			> 91.5 %
			Complies
572-5 : 2012/5.2.1 Place the pane of Glass to be examined vertically 3 m in front and parallel to a matt gray screen (Conditions approximating to diffuse day light). Arrange the point of observation 1.5 m from glass			
Spherical bubbles/solid inclusions per m2		≤ 0.5 mm=unlimited,>0.5 - ≤1.5mm=6 nos.,	
Longitudinal bubbles/solid inclusions per m2		>1.5-3mm=2 no., >3 mm not allowed	
		Width	Length
		up to 1 mm	≤10 mm >10 -≤25 mm > 25 mm
		>1.0-2.0 mm	2 0 0
		> 2 mm	0 0 0
3 Scratches		Width	Length
		< 1.0 mm	≤5 mm > 5 -≤ 10 mm > 10 -≤ 25mm
		> 1.0 mm	4 2 1
			0 0 0
14 Cleanliness		Irremovable dirt is not permitted	
15 Surface Compression Stress (Mpa)		100% Visual Inspection for label Position,Scratch,Bubbles & Other Visual defects	
16 Fragmentation Test		ASTM-1048	
17 Iron Content		IS 16982:2018	
18 Mechanical strength (N/mm2)		IS 16982:2018	
19 Surface Roughness Ra Value Avg.		Surface roughness tester from Mitutoyo	
		≤ 120 ppm	
		≥55 (N/mm2)	
		0.40 to 2.5 µm	
		Complies	
* This is a computer-generated document. No signature is required			

* This is a computer-generated document. No signature is required